MAT2500-05 24S Quiz 8 Print Name (Last, First)	
Show all work, including mental steps, in a clearly organized way that speaks for itself. Use pr	oper
mathematical notation, identifying expressions by their proper symbols (introducing them if no	ecessary), and use
EQUAL SIGNS and arrows when appropriate. Always SIMPLIFY expressions. BOX final sh	ort answers.
LABEL parts of problem. Keep answers EXACT (but give decimal approximations for interpr	etation when
appropriate). Indicate where technology is used and what type (Maple, GC). Only use technology	ogy to CHECK

- 1. Find the volume under the surface $z = y^2 e^{x y}$ above the region bounded by y = x, y = 4 and x = 0. First set up the two iterated integrals representing this volume and in each case let Maple evaluate the double integral. Follow these steps:
- a) Integrate first in the horizontal direction.

hand calculations, not substitute for them.

b) Integrate first in the vertical direction.

In each case accompany your work with a new iteration diagram to justify your interation, a diagram shaded by equally spaced linear cross-sections in the direction of the inner integration variable and a typical one with bullet point endpoints labeled by the equation of the starting and stopping values of the integration variable for the inner integral and with an arrowhead midway indicating the variable's increasing direction. Consult the previous 22F quiz 8 answer key for a model of how to do this.

- c) Use Maple to evaluate each such integral exactly. Do they agree as they should? [If you do this by hand, one of these avoids integration by parts.]
- 2. a) "Deconstruct" the integral $\int_0^1 \int_{\sqrt{x}}^1 \sqrt{y^3 + 1} \, dy \, dx$ by creating a diagram as above that explains the limits

of integration in the current order in which the successive integrations are done.

- b) Create a new diagram explaining the limits for the reversed order of integration.
- c) Using that diagram, write down the new iteration of this integral in that reversed order and evaluate it step by step by hand.
- d) Check with Maple that the two iterations have the same numerical value. [Maple gets the first exact integration wrong, but correct numerical value of 0.4063171388 (I had to convert it to inert form to do this!), the second order only requires a *u*-substitution to finish the integration].

solution